INDEX TO VOLUME 59

Author Index*

A

AKUTSU, TETSUZO, HOUSTON, CHARLES S., AND KOLFF, WILLEM J. Roller type of artificial heart within the chest: Preliminary report, 731

——. (*See* Houston, et al.), 723

AMER, NORMAN S., STUCKEY, JACKSON H., HOFFMAN, BRIAN F., CAPPELLETTI, RICHARD R., AND DOMINGO, RODOLFO T. Activation of the interventricular septal myocardium studied during cardiopulmonary bypass, 224

ANGLE, WILLIAM D. The ventricular gradient vector and related vectors, 749

ANSELMI, GUILLERMO. (*See* de la Cruz, et al.), 902

AQUILINA, JOSEPH T., AND FARNSWORTH, WELLS E. With the technical assistance of Short, Mary L. Alteration of serum enzymes in clinical myocardial infarction, 166

ARNOLD, JOHN G., JR., KELLER, GERALD C., AND LECKERT, JOHN T. High anterior precordial lead studies. I. Techniques and normals, 565

ASH, RACHEL. (*See* Friedman, et al.), 140

AZAN, LUIS. (*See* Castellanos, et al.), 358

B

BAKER, BENJAMIN M., JR. (*See* Scarborough, et al.), 19

BARBATO, ENNIO. (*See* Pileggi, et al.), 667

BAYLEY, ROBERT H. Measurements of unipolar potentials in the electrical field produced by an arbitrary dipole in the elliptical homogeneous lamina, 737

BENTIVOGLIO, LAMBERTO G., MARANHAO, VLADIR, AND DOWNING, DANIEL F. The electrocardiogram in pulmonary stenosis with intact septa, 347

BENYAMINE, R. (*See* Jouve, et al.), 856

BEREGOVICH, JONAS, BLEIFER, SELVYN, DONOSO, EPHRAIM, AND GRISHMAN, ARTHUR. Vectorcardiographic and electrocardiographic changes following surgical correction of atrial septal defect, 329

BERKMEN, RASIM. (*See* Egeli and Berkmen), 527

BESWICK, F. W. (*See* Jordan and Beswick), 892

BIÖRCK, GUNNAR. The international study of coronary heart disease, 3

BJÖRK, VIKING O. (*See* Malers, et al.), 816

BLACK, D. A. K. Adrenergic blockade, 153 (Annot.)

BLEIFER, S. B. (*See* Kahn, et al.), 548

BLEIFER, SELVYN. (*See* Beregovich, et al.), 329

BOCANEGRA, JOSÉ. (*See* Pileggi, et al.), 667

BORGES, SILVIO. (*See* Pileggi, et al.), 667

BRAUDO, J. L., AND ZION, M. M. Cyanotic spells and loss of consciousness induced by cardiac catheterization in patients with Fallot's tetralogy, 10

BRETTELL, HERBERT R., AND HERRMANN, RICHARD E. Spontaneous rupture of the pulmonary artery in pulmonary hypertension, 263

BROCK, DONALD, AND FINGER, JACK. Lipoma of heart, 591

BRODY, DANIEL A. The evolution of methodology in hemodynamic research, 322 (Annot.)

——. With the technical assistance of Frazier, Morris B., Jr., and Lowe, Erskine H., Jr. The prospects for direct-writing phonocardiography; with a short critique of spectrophonocardiography, 90

BURCH, GEORGE E. (*See* Cairns, et al.), 404

BURGER, H. C., AND NOORDERGRAAF, A. Ballistocardiography as a result of cooperation between sciences, 791 (Annot.)

BURROUGHS, JOHN T., AND EDWARDS, JESSE E. Total anomalous pulmonary venous connection, 913

BURT, RICHARD L. Pheochromocytoma in pregnancy, 472 (Annot.)

BYRNE, JOHN J., AND CAHILL, JOHN M. Tricuspid insufficiency in pulmonary embolism, 129

C

CAHILL, JOHN M. (*See* Byrne and Cahill), 129

CAIRNS, A. B., JR., LOVE, WILLIAM D., AND BURCH, GEORGE E. The effects of acetyl-strophanthidin on the kinetics of potassium and Rb^{86} in the myocardium of dogs, 404

CALVIÑO, JOSÉ M. (*See* Castellanos, et al.), 358

CAPPELLETTI, RICHARD R. (*See* Amer, et al.), 224

CARPENTER, CHARLES M. (*See* Konwaler, et al.), 101

CARROLL, DOUGLAS. Acute rheumatic fever in adults, 636 (Annot.)

*January, pp. 1-160; February, pp. 161-324; March, pp. 325-486; April, pp. 487-642; May, pp. 643-802; June, pp. 803-962.

CASTELLANOS, AGUSTIN, JR., AZAN, LUIS, AND CALVIÑO, JOSÉ M. Simultaneous tachycardias, 358
CASTRO, FRANCISCO ALBERTO L. (*See* Marquez, et al.), 321 (Annot.)
CHRISTIE, RONALD V. Dr. Jonathan C. Meakins: Obituary, 1
COOK, JOHN B., III. (*See* Lumb and Cook), 428
CORRIOL, J. (*See* Jouve, et al.), 856
DE LA CRUZ, MARÍA V., ESPINO-VELA, JORGE, AND ANSELMI, GUILLERMO. Biventricular transposed aorta and left ventricular stenotic pulmonary artery. An embryologic and pathologic account of a new syndrome whose existence was previously theoretically predicted, 902
CULLHED, INGEMAR. (*See* Malers, et al.), 816

D

DAHL, JAMES C. (*See* Mori, et al.), 374
DAVIES, J. N. P. With the assistance of Coles, Ruth M. Some considerations regarding obscure diseases affecting the mural endocardium, 600
DAVIS, FRANK W., JR. The elusive ductus, 479 (Annot.)
DAWE, ALBERT R., AND LANDAU, BARBARA R. The hibernating mammalian heart, 78
DÉCOURT, LUIZ V. (*See* Pileggi, et al.), 667
DERRICK, J. R., EGGERS, G. W. N., JR., LEONARD, J. J., AND PALEY, H. W. A technique for simultaneous pressure determination in the left and right sides of the heart, 442
DESHMUKH, MADHUKAH. (*See* Lisan, et al.), 184
DOMINGO, RODOLFO T. (*See* Amer, et al.), 224
DONOSO, EPHRAIM. (*See* Beregovich, et al.), 329
DONTAS, A. S. Comparison of simultaneously recorded intra-arterial and extra-arterial pressure pulses in man, 576
DOWNING, DANIEL F. (*See* Bentivoglio, et al.), 347
DUSHANE, JAMES W., WEIDMAN, WILLIAM H., ONGLEY, PATRICK A., SWAN, H. J. C., KIRKLIN, JOHN W., EDWARDS, JESSE E., AND SCHMUTZLER, HORST. Clinical-pathologic conference, 782
DYER, JUAN. (*See* Peñaloza, et al.), 111

E

ECHEVARRÍA, MAX. (*See* Peñaloza, et al.), 111
EDWARDS, JESSE E. (*See* Burroughs and Edwards), 913
EGELI, EKREM SERIF, AND BERKMEN, RASIH. Action of hypoglycemia on coronary insufficiency and mechanism of ECG alterations, 527
EGGERS, G. W. N., JR. (*See* Derrick, et al.), 442
ENGEL, GEORGE L. Pseudoangina, 325
ESPINO-VELA, JORGE. (*See* de la Cruz, et al.), 902

F

FARNSWORTH, WELLS E. (*See* Aquilina, et al.), 166
FERUGLIO, GEORGE A., GUNTON, RAMSAY W., AND HEIMBECKER, RAYMOND O. Electrocardiographic observations in 300 transthoracic left heart catheterizations, 238
FEWELL, J. WILLIAMS. (*See* Soloff and Fewell), 869
FINGER, JACK. (*See* Brock and Finger), 591
FINKELSTEIN, DAVID. (*See* Greenwood and Finkelstein), 594
FINNERTY, FRANK A., JR. (*See* Massaro, et al.), 401
FOGEL, D. H. The innocent systolic murmur in children: a clinical study of its incidence and characteristics, 844
FORD, RALPH V., AND NICKELL, JOHN. Pharmacologic observations on a more potent benzothiadiazine diuretic (Be. 724-A), 215
FOURNIER, PIERRE, AND ZAIDI, ZAFAR H. Congenital absence of the aortic arch, 148
FOWLER, NOBLE O. Ventricular filling by diastolic suction, 934 (Annot.)
FRIEDMAN, SIDNEY, ASH, RACHEL, KLEIN, DOROTHY, AND JOHNSON, JULIAN. Anomalous single coronary artery complicating ventriculotomy in a child with cyanotic congenital heart disease, 140

G

GAMBOA, RAÚL. (*See* Peñaloza, et al.), 111
GITSIOS, CONSTANTINE T. Restoration of normal conduction following the administration of digitalis in a case of WPW syndrome, 283
GOLDEN, JACOB S., RUBENSTONE, ALBERT I., LEVIN, BERTRAM, AND PICK, ALFRED. Clinical-pathologic conference, 462
GOLDMAN, MERVIN J. Normal variants in the electrocardiogram leading to cardiac invalidism, 71
GÖMÖRI, P., AND TAKÁCS, L. Circulatory regulation and shifting in hypoxia, 161
GREENFIELD, A. DAVID M. Responses of resistance blood vessels to increases in transmural pressure, 476 (Annot.)
GREENWOOD, RICHARD J., AND FINKELSTEIN, DAVID. 1:1 atrial flutter with the Wenckebach phenomenon, 594
GRISHMAN, A. (*See* Kahn, et al.), 548
GRISHMAN, ARTHUR. (*See* Beregovich, et al.), 329
GROEBEN, J. VON DER. The spatial frequency distribution of the QRS loop as studied on 154 normal individuals, 875
GUERON, MOSCHE. Idiopathic cardiac hypertrophy of long duration, 446
GUNTON, RAMSAY W. (*See* Feruglio, et al.), 238

H

HAMILTON, W. F. Frank, Henderson, and Starling, 803 (Editorial)

HARRIS, E. A. Chlorothiazide in hypertension, 318 (Annot.)
——. Essential hypertension, 792 (Annot.)
HARRISON, GUNYON M. (*See* Spencer, et al.), 384
HARTMAN, H. The jugular venous tracing, 698
HEIMBECKER, RAYMOND O. (*See* Feruglio, et al.), 238
HERRMANN, RICHARD E. (*See* Brettell and Herrmann), 263
HEYER, HOWARD E. Shock following myocardial infarction, 940 (Annot.)
HOFFMAN, BRIAN F. (*See* Amer, et al.), 224
HOLLIS, WALTER J. The systolic J-M stroke displacement and gram-centimeters values of fifty-one normal males from an ULF pendulum ballistocardiographic system, 560
HOOBLER, S. W. (*See* Remington, et al.), 58
HOUSTON, CHARLES S., AKUTSU, TETSUZO, AND KOLFF, WILLEM J. Pendulum type of artificial heart within the chest: preliminary report, 723
——. (*See* Akutsu, et al.), 731
HOWARD, ELLIOTT J. Chronic atrial fibrillation unrelated to organic heart disease: follow-up study of five cases, 343
——. Osler's nodes, 633 (Annot.)
——. The electrocardiogram in the "tear drop" heart, 790 (Annot.)
——. Value of the Q-T interval, 789 (Annot.)
HUBBARD, THEODORE F., AND NEIS, D. D. The sounds at the base of the heart in cases of patent ductus arteriosus, 807
HYMAN, CHESTER. Vascular balances, 939 (Annot.)

J

JACKSON, ALBERT, AND O'DONNELL, MAE J. Progressive muscular dystrophy with 1:1 atrial flutter, 277
JACKSON, ROBERT R. (*See* Spencer, et al.), 384
JOHNSON, JULIAN. (*See* Friedman, et al.), 140
JORDAN, R. C., AND BESWICK, F. W. Graphic determination and comparison of RLF plane vector angles obtained from lead projection ratios using the Einthoven and various Burger-type triangles, 892
JOUVE, A., CORRIOL, J., TORRESANI, J., BENYAMINE, R., VELASQUE, P., AND PEYTAVY, R. Epicardial leads in man, 856

K

KAHN, M., SENDEROFF, E., SHAPIRO, J., BLEIFER, S. B., AND GRISHMAN, A. Bridging of interrupted A-V conduction in experimental chronic complete heart block by electronic means, 548
KARMEN, ARTHUR. Gas chromatography and lipid metabolism, 937 (Annot.)
KARPMAN, HAROLD L. The Keys equation, 478 (Annot.)
KELLER, GERALD C. (*See* Arnold, et al.), 565
KLEIN, DOROTHY. (*See* Friedman, et al.), 140
KLINE, IRWIN K., AND SAPHIR, OTTO. Chronic pernicious myocarditis, 681
KOLFF, WILLEM J. (*See* Akutsu, et al.), 731
——. (*See* Houston, et al.), 723
KONWALER, BENJAMIN E., CARPENTER, CHARLES M., AND OHNO, SUSUMU. Cardiac pathology in experimental brucellosis, 101

L

LAMBARTH, B. (*See* Remington, et al.), 58
LAMPE, C. F. J., AND VERHEUGT, A. P. M. Anomalous left coronary artery. Adult type, 769
LANDAU, BARBARA R. (*See* Dawe and Landau), 78
LECKERT, JOHN T. (*See* Arnold, et al.), 565
LEONARD, J. J. (*See* Derrick, et al.), 442
LESSOF, MAURICE H., AND ASPER, SAMUEL P., JR. Autoantibodies, 473 (Annot.)
LEVIN, BERTRAM. (*See* Golden, et al.), 462
LEVINE, SAMUEL A. The taxicab as an aid in the economic rehabilitation of patients with advanced heart disease, 793 (Annot.)
LEWIS, H. W. Medicine and physics, 643
LIBRETTI, ARNALDO, AND ZANCHETTI, ALBERTO. Spatial patterns of ventricular repolarization in arterial hypertension, 40
LIKOFF, WILLIAM. (*See* Lisan, et al.), 184
LISAN, PHILIP, URICCHIO, JOSEPH F., MARINO, DANIEL J., DESHMUKH, MADHUKAH AND LIKOFF, WILLIAM. Staphylococcal endocarditis, 184
LODIN, HERMAN. (*See* Malers, et al.), 816
LOVE, WILLIAM D. (*See* Cairns, et al.), 404
LUMB, GEORGE, AND COOK, JOHN B., III. The use of intravenous hyaluronidase following narrowing of the left circumflex coronary artery in dogs, 428

M

MCFEE, RICHARD. On the interpretation of cancellation experiments. II, 433
MACK, IRVING. (*See* Mond and Mack), 134
MACRUZ, RADI. (*See* Pileggi, et al.), 667
MAINZER, FR. Diagnostic differentiation of coexisting pseudoanginal root syndrome and angina pectoris, 191
MALERS, ELIS, BJÖRK, VIKING O., CULLHED, INGEMAR, AND LODIN, HERMAN. Transposition functionally totally corrected, associated with "mitral" insufficiency, 816
MARANHAO, VLADIR. (*See* Bentivoglio, et al.), 347
MARINO, DANIEL J. (*See* Lisan, et al.), 184
MARQUEZ, JULIA SÁNCHEZ, ROCHA, JOSÉ COSTA, AND CASTRO, FRANCISCO ALBERTO L. The electrocardiogram in chagasic myocarditis, 321 (Annot.)
MARTICORENA, EMILIO. (*See* Peñaloza, et al.), 111
MARTIN, HELEN. Magnesium and the cardiovascular system, 932 (Annot.)
MASSARO, GLORIA DECARLO, FINNERTY, FRANK A., JR., AND RYAN, MARTIN. The effect of reserpine and digitalis on the heart rate during noradrenaline infusion, 401

MENDLOWITZ, MILTON. Aphorisms, 793 (Annot.)
——. Quote . . . unquote, 487
MOND, ERNEST, AND MACK, IRVING. Cardiac toxicity of iproniazid (Marsilid): report of myocardial injury in a patient receiving levarterenol, 134
MORI, HIROYOSHI, NAKAGAWA, KYOICHI, DAHL, JAMES C., SCHMITT, OTTO H., AND SIMONSON, ERNST. A quantitative study of initial and terminal QRS vectors in a group of normal older men, 374
MORTON, WILLIAM. Analysis of the V_{3R} lead as a mass-screening device, 208
MOSER, M. (*See* Remington, et al.), 58
MOSS, ARTHUR J. The effect of hypoxia on the rate at which the cardiac ejection force is generated: a ballistocardiographic study, 412

N

NÁDASDI, M. Renal influence in experimental cardiac necrosis, 762
NAKAGAWA, KYOICHI. (*See* Mori, et al.), 374
NEIS, D. D. (*See* Hubbard and Neis), 807
NELLEN, M. (*See* Vogelpoel, et al.), 489
NICKELL, JOHN. (*See* Ford and Nickell), 215
NIWAYAMA, GEN. Cor triatriatum, 291
——. Unusual vascular ring formed by the anomalous left pulmonary artery, with tracheal compression, 454
NOORDERGRAAF, H. C. (*See* Burger and Noordergraaf), 791 (Annot.)

O

O'DONNELL, MAE J. (*See* Jackson and O'Donnell), 277
OHNO, SUSUMU. (*See* Konwaler, et al.), 101

P

PALEY, H. W. (*See* Derrick, et al.), 442
PEÑALOZA, DANTE, GAMBOA, RAÚL, DYER, JUAN, ECHEVARRÍA, MAX, AND MARTICORENA, EMILIO. The influence of high altitudes on the electrical activity of the heart. I. Electrocardiographic and vectorcardiographic observations in the newborn, infants, and children, 111
PERLOFF, JOSEPH K. Sinus of Valsalva—right heart communications due to congenital aortic sinus defects, 318 (Annot.)
PEYTAVY, R. (*See* Jouve, et al.), 856
PICK, ALFRED. (*See* Golden, et al.), 462
PILEGGI, FULVIO, BOCANEGRA, JOSÉ, TRANCHESI, JOÃO, MACRUZ, RADI, BORGES, SILVIO, PORTUGAL, OSCAR, VILLARINHO, MANUEL G., BARBATO, ENNIO, AND DÉCOURT, LUIZ V. The electrocardiogram in tetralogy of Fallot: a study of 142 cases, 667
PORTUGAL, OSCAR. (*See* Pileggi, et al.), 667
PRUITT, RAYMOND D. (*See* Semler and Pruitt), 541

R

RASHKIND, WILLIAM J. Pressure pulse waves in the right ventricle: alteration in patients with pulmonic stenosis and pulmonary hypertension, 36
REMINGTON, R. D., LAMBARTH, B., MOSER, M., AND HOOBLER, S. W. Circulatory reactions of normotensive and hypertensive subjects and of the children of normal and hypertensive parents, 58
ROBSON, H. N. Therapeutic fibrinolysis, 936 (Annot.)
ROCHA, JOSÉ COSTA. (*See* Marquez, et al.), 321 (Annot.)
RODDIE, IAN C. Vasomotor nerves to human skin, 634 (Annot.)
RUBENSTONE, ALBERT I. (*See* Golden, et al.), 462
RYAN, MARTIN. (*See* Massaro, et al.), 401

S

SACKNER, MARVIN A. (*See* Spivack, et al.), 53
SANDLER, GERALD. Clinical evaluation of a new coronary vasodilator, 3-dimethylamino-1, 1, 2-tris(4-methoxyphenyl)-1-propene hydrochloride (WIN 5494), 718
SAPHIR, OTTO. (*See* Kline and Saphir), 681
SCARBOROUGH, WM. R., SMITH, ERNEST W., AND BAKER, BENJAMIN, M., JR. Studies on subjects with and without coronary heart disease. Serum lipid, lipoprotein, and protein determinations and their relation to ballistocardiographic findings (a preliminary survey), 19
SCHAMROTH, LEO. Reversed reciprocating paroxysmal tachycardia and its relationship to the Wolff-Parkinson-White syndrome, 506
SCHMITT, OTTO H. (*See* Mori, et al.), 374
SCHNABEL, TRUMAN G., JR. (*See* Spivack, et al.), 53
SCHRIRE, V. (*See* Vogelpoel and Schrire), 645
——. (*See* Vogelpoel, et al.), 489
——. The racial incidence of heart disease at Groote Schuur Hospital, Cape Town. Part III. The less common forms of heart disease, 835
SCOTT, RALPH C. The electrocardiographic diagnosis of left ventricular hypertrophy, 155 (Annot.)
SEGAL, FAY, AND TABATZNIK, BERNARD. Postpericardiotomy syndrome following penetrating stab wounds of the chest: comparison with the postcommissurotomy syndrome, 175
SELZER, ARTHUR. Effects of atrial fibrillation upon the circulation in patients with mitral stenosis, 518
SEMLER, HERBERT J., AND PRUITT, RAYMOND D. An electrocardiographic estimation of the pulmonary vascular obstruction in 80 patients with mitral stenosis, 541
SENDEROFF, E. (*See* Kahn, et al.), 548
SHABETAI, RALPH. Classification of systolic murmurs, 637 (Annot.)

SHAPIRO, J. (*See* Kahn, et al.), 548
SIMONSON, ERNST. (*See* Mori, et al.), 374
SMITH, ERNEST W. (*See* Scarborough, et al.), 19
SOLOFF, LOUIS A., AND FEWELL, J. WILLIAMS. The supernormal phase of ventricular excitation in man. Its bearing on the genesis of ventricular premature systoles, and a note on atrioventricular conduction, 869
SPENCER, WILLIAM A., JACKSON, ROBERT R., VALLBONA, CARLOS, AND HARRISON, GUNYON M. Circulatory disturbances in life-threatening poliomyelitis, 384
SPIVACK, ALFRED P., SACKNER, MARVIN A., AND SCHNABEL, TRUMAN G., JR. Atrial flutter with 1:1 A-V conduction associated with pulmonary embolism in the aged, 53
STERN, THOMAS N. Digitalis intoxication, 154 (Annot).
STUCKEY, JACKSON H. (*See* Amer, et al.), 224
SWANEPOEL, A. (*See* Vogelpoel, et al.), 489
SZILAGYI, NELLY, AND TARAN, LEO M. Bilateral bundle branch block, 777

T

TABATZNIK, BERNARD. (*See* Segal and Tabatznik), 175.
TAKÁCS, L. (*See* Gömöri and Takács), 161
TARAN, LEO M. (*See* Szilagyi and Taran), 777
TORRESANI, J. (*See* Jouve, et al.), 856
TRANCHESI, JOÃO. (*See* Pileggi, et al.), 667

U

URICCHIO, JOSEPH F. (*See* Lisan, et al.), 184

V

VALLBONA, CARLOS. (*See* Spencer, et al.), 384
VELASQUE, P. (*See* Jouve, et al.), 856
VERHEUGT, A. P. M. (*See* Lampe and Verheugt), 769
VILLARINHO, MANUEL G. (*See* Pileggi, et al.), 667
VOGELPOEL, L., AND SCHRIRE, V. Pulmonary stenosis with intact ventricular septum and Fallot's tetralogy: assessment of postoperative results by auscultation and phonocardiography, 645
——, ——, NELLEN, M., AND SWANEPOEL, A. The use of phenylephrine in the differentiation of Fallot's tetralogy from pulmonary stenosis with intact ventricular septum, 489

W

WINTERS, WILLIAM L., JR. Diagnostic carbon dioxide: its use in review, 933 (Annot.)

Z

ZAIDI, ZAFAR H. (*See* Fournier and Zaidi), 148
ZANCHETTI, ALBERTO. (*See* Libretti and Zanchetti), 40
ZAO, ZANG Z. A geometric study of the relationship between limb leads and cardiac vector in the frontal plane, 249
ZION, M. M. (*See* Braudo and Zion), 10

Subject Index*

A

Acetyl-strophanthidin, effects of, on kinetics of potassium and Rb^{86} in myocardium of dogs (Cairns, et al.), 404

Adrenergic blockade (Black), 154 (Annot.)

Aged, atrial flutter with 1:1 A-V conduction associated with pulmonary embolism in (Spivack, et al.), 53

Altitudes, high, influence of, on electrical activity of heart. I. Electrocardiographic and vectorcardiographic observations in newborn, infants, and children (Peñaloza, et al.), 111

Angina pectoris, diagnostic differentiation of coexisting pseudoanginal root symdrome and (Mainzer), 191

Angiocardiography, catheterization and; transposition functionally totally corrected (Malers, et al.), 821

Angles, RLF plane vector, obtained from lead projection ratios, graphic determination and comparison of, using Einthoven and various Burger-type triangles (Jordan and Beswick), 892

Announcements, 160, 324, 801, 943

Aorta, transposed, biventricular, and left ventricular stenotic pulmonary artery. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902

Aortic arch, congenital absence of (Fournier and Zaidi), 148

sinus defects, congenital, right heart communications due to; sinus of Valsalva (Perloff), 318 (Annot.)

Aphorisms (Mendlowitz), 793

Arch, aortic, congenital absence of (Fournier and Zaidi), 148

Arterial embolism in limbs, 799 (B. Rev.)

hypertension, spatial patterns of ventricular repolarization in (Libretti and Zanchetti), 40

Arteriosus, patent ductus, sounds at base of heart in cases of (Hubbard and Neis), 807

Artery, coronary, circumflex, left, use of intravenous hyaluronidase following narrowing of, in dogs (Lumb and Cook), 428

left, anomalous; adult type (Lampe and Verheugt), 769

Artery, coronary—Cont'd

single, anomalous, complicating ventriculotomy in child with cyanotic congenital heart disease (Friedman, et al.), 140

left pulmonary, anomalous, with tracheal compression, unusual vascular ring formed by (Niwayama), 454

pulmonary, spontaneous rupture of, in pulmonary hypertension (Brettell and Herrmann), 263

stenotic, left ventricular, biventricular transposed aorta and. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902

Artificial heart, pendulum type of, within chest: preliminary report (Houston, et al.), 723

requirements for (Houston, et al.), 723

roller type of, within chest: preliminary report (Akutsu, et al.), 731

Ateroesclerosis, reacciones elementales de pared arterial frente a injurias y en su relación con etiopatogenia de, 642 (B. Rev.)

Atrial fibrillation, chronic, unrelated to organic heart disease: follow-up study of five cases (Howard), 343

effects of, upon circulation in patients with mitral stenosis (Selzer), 518

flutter, 1:1, progressive muscular dystrophy with (Jackson and O'Donnell), 277

with Wenckebach phenomenon (Greenwood and Finkelstein), 594

with 1:1 A-V conduction associated with pulmonary embolism in aged (Spivack, et al.), 53

septal defect, vectorcardiographic and electrocardiographic changes following surgical correction of (Beregovich, et al.), 329

Atrioventricular conduction, its bearing on genesis of ventricular premature systoles, and note on; supernormal phase of ventricular excitation in man (Soloff and Fewell), 869

Auscultation and phonocardiography, assessment of postoperative results by; pulmonary stenosis with intact ventricular septum and Fallot's tetralogy (Vogelpoel and Schrire), 645

Autoantibodies (Lessof and Asper), 473 (Annot.)

*January, pp. 1-160; February, pp. 161-324; March, pp. 325-486; April, pp. 487-642; May, pp. 643-802; June, pp. 803-962.

A-V conduction, interrupted, bridging of, in experimental chronic complete heart block by electronic means (Kahn, et al.), 548
1:1, atrial flutter with, associated with pulmonary embolism in aged (Spivack, et al.), 53

B

Ballistocardiographic findings, serum lipid, lipoprotein, and protein determinations and their relation to (preliminary survey); studies on subjects with and without coronary heart disease (Scarborough, et al.), 19
study; effect of hypoxia on rate at which cardiac ejection force is generated (Moss), 412
system, pendulum, ULF, systolic J-M stroke displacement and gram-centimeters values of fifty-one normal males from (Hollis), 560
Ballistocardiography, as result of cooperation between sciences (Burger and Noordergraaf), 791 (Annot.)
"Becker's disease"; obscure cardiopathy of South Africa (Davies), 607
Benzothiadiazine diuretic (Be. 724-A), more potent, pharmacologic observations on (Ford and Nickell), 215
Biventricular transposed aorta and left ventricular stenotic pulmonary artery. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902
Block, bundle branch, bilateral (Szilagyi and Taran), 777
heart, complete, chronic, experimental, bridging of interrupted A-V conduction in, by electronic means (Kahn, et al.), 548
Blood pressure, high, 640 (B. Rev.)
vessels, resistance, responses of, to increases in transmural pressure (Greenfield), 476 (Annot.)
Book reviews, 157, 481, 639, 797
Brucellosis, experimental, cardiac pathology in (Konwaler, et al.), 101
Bundle branch block, bilateral (Szilagyi and Taran), 777
left, intermittent (Angle), 759
right, intermittent (Angle), 759
Burger triangle as quantitative measure of inaccuracy of Einthoven triangle, influenced by "heart vector" eccentricity and length; electrolytic model study (II) (Zao), 251
triangles, direct construction of, from living toad hearts in situ and similarity of R and T triangles from same toads (Zao), 253
triangular shapes and Einthoven triangle, relationship between (Zao), 251
Burger-type triangles, various, Einthoven and, graphic determination and comparison of RLF plane vector angles obtained from lead projection ratios using (Jordan and Beswick), 892

C

Cancellation experiments, on interpretation of. II (McFee), 433
Carbon dioxide, diagnostic: its use in review (Winters), 933 (Annot.)
Cardiac catheterization, cyanotic spells and loss of consciousness induced by, in patients with Fallot's tetralogy (Braudo and Zion), 10
ejection force, effect of hypoxia on rate at which, is generated: ballistocardiographic study (Moss), 412
hypertrophy and dilatation, effects of, upon endocardium (Davies), 603
idiopathic, of long duration (Gueron), 446
invalidism, normal variants in electrocardiogram leading to (Goldman), 71
necrosis, experimental, renal influence in (Nádasdi), 762
pathology in experimental brucellosis (Konwaler, et al.), 101
surgery, physiology of: hypothermia, extracorporeal circulation, and extracorporeal cooling, 158 (B. Rev.)
toxicity of iproniazid (Marsilid): report of myocardial injury in patient receiving levarterenol (Mond and Mack), 134
vector in frontal plane, geometric study of relationship between limb leads and (Zao), 249
Cardiology, advances in, 481 (B. Rev.)
Cardiopulmonary bypass, activation of interventricular septal myocardium studied during (Amer, et al.), 224
Cardiovascular system, magnesium and (Martin), 932 (Annot.)
Catheterization and angiocardiography; transposition functionally totally corrected (Malers, et al.), 821
cardiac, cyanotic spells and loss of consciousness induced by, in patients with Fallot's tetralogy (Braudo and Zion), 10
Catheterizations, left heart, transthoracic, 300, electrocardiographic observations in (Feruglio, et al.), 238
Chagas' disease, cardiac lesions of (Davies), 619
Chagasic myocarditis, electrocardiogram in (Marquez, et al.), 321 (Annot.)
Chest, pendulum type of artificial heart within: preliminary report (Houston, et al.), 723
postpericardiotomy syndrome following penetrating stab wounds of: comparison with postcommissurotomy syndrome (Segal and Tabatznik), 175
roller type of artificial heart within: preliminary report (Akutsu, et al.), 731

Child, surgeon and, 482 (B. Rev.)
with cyanotic congenital heart disease, anomalous single coronary artery complicating ventriculotomy in (Friedman, et al.), 140
Children, electrocardiographic and vectorcardiographic observations in newborn, infants, and (I); influence of high altitudes on electrical activity of heart (Peñaloza, et al.), 111
of normal and hypertensive patients, circulatory reactions of normotensive and hypertensive subjects and of (Remington, et al.), 58
Chlorothiazide in hypertension (Harris), 318 (Annot.)
Cinefluorography, 797 (B. Rev.)
Circulation, effects of atrial fibrillation upon, in patients with mitral stenosis (Selzer), 518
extracorporeal, hypothermia, and extracorporeal cooling; physiology of cardiac surgery, 158 (B. Rev.)
Circulatory disturbances in life-threatening poliomyelitis (Spencer, et al.), 384
reactions of normotensive and hypertensive subjects and of children of normal and hypertensive parents (Remington, et al.), 58
regulation and shifting in hypoxia (Gömöri and Takács), 161
Circumflex coronary artery, left, use of intravenous hyaluronidase following narrowing of, in dogs (Lumb and Cook), 428
Clinical-pathologic conference (DuShane, et al.), 782
(Golden, et al.), 462
Coeur, le. (Tome II), 798 (B. Rev.)
"Collagen diseases," cardiac lesions in (Davies), 625
Communications, right heart, due to congenital aortic sinus defects; sinus of Valsalva (Perloff), 318 (Annot.)
Conduction, atrioventricular, its bearing on genesis of ventricular premature systoles, and note on; supernormal phase of ventricular excitation in man (Soloff and Fewell), 869
A-V, interrupted, bridging of, in experimental chronic complete heart block by electronic means (Kahn, et al.), 548
1:1, atrial flutter with, associated with pulmonary embolism in aged (Spivack, et al.), 53
normal, restoration of, following administration of digitalis in case of WPW syndrome (Gitsios), 283
Conference, clinical-pathologic (DuShane, et al.), 782
(Golden, et al.), 462
Congenital heart disease, cyanotic, anomalous single coronary artery complicating ventriculotomy in child with (Friedman, et al.), 140
Consciousness, loss of, cyanotic spells and, induced by cardiac catheterization in patients with Fallot's tetralogy (Braudo and Zion), 10
Cooling, extracorporeal, hypothermia, extracorporeal circulation and; physiology of cardiac surgery, 158 (B. Rev.)
Cor triatriatum (Niwayama), 291
Coronary artery, circumflex, left, use of intravenous hyaluronidase following narrowing of, in dogs (Lumb and Cook), 428
left, anomalous; adult type (Lampe and Verheugt), 769
single, anomalous, complicating ventriculotomy in child with cyanotic congenital heart disease (Friedman, et al.), 140
heart disease, international study of (Biörck), 3
studies on subjects with and without. Serum lipid, lipoprotein, and protein determinations and their relation to ballistocardiographic findings (preliminary survey) (Scarborough, et al.), 19
insufficiency and mechanism of EGG alterations, action of hypoglycemia on (Egeli and Berkman,) 527
patient, primer for, 642 (B. Rev.)
vasodilator, new, 3-dimethylamino-1,1,2-tris (4-methoxyphenyl)-1-propene hydrochloride (WIN 5494) clinical evaluation of (Sandler), 718
Cyanotic congenital heart disease, anomalous single coronary artery complicating ventriculotomy in child with (Friedman, et al.), 140
spells and loss of consciousness induced by cardiac catheterization in patients with Fallot's tetralogy (Braudo and Zion), 10

D

Diastolic suction, ventricular filling by (Fowler), 934 (Annot.)
Digitalis, effect of, on WPW syndrome (Gitsios), 286
reserpine and, on heart rate during noradrenaline infusion (Massaro), 401
intoxication (Stern), 154 (Annot.)
restoration of normal conduction following administration of, in case of WPW syndrome (Gitsios), 283
3-Dimethylamino-1, 1, 2-tris (4-methoxyphenol)-1-propene hydrochloride (WIN 5494), new coronary vasodilator, clinical evaluation of (Sandler), 718
Dipole, arbitrary, measurements of unipolar potentials in electrical field produced by, in elliptical homogeneous lamina (Bayley), 737
Direct-writing phonocardiography, prospects for; with short critique of spectrophonocardiography (Brody), 90

Diseases, obscure, affecting mural endocardium, some considerations regarding (Davies), 600

Distribution, spatial frequency, of QRS loop as studied on 154 normal individuals (Groeben), 875

Diuretic, benzothiadiazine (Be. 724-A), more potent, pharmacologic observations on (Ford and Nickell), 215

Druckkurven, intracardialer, Atlas, 799 (B. Rev.)

Ductus, elusive (Davis), 479 (Annot.)

Durchblutungsstörungen, peripheren, Angiologie, Pathologie, Klinik und Therapie der, 800 (B. Rev.)

Dystrophy, muscular, progressive, with 1:1 atrial flutter (Jackson and O'Donnell), 277

E

ECG alterations, action of hypoglycemia on coronary insufficiency and mechanism of (Egeli and Berkmen), 527

Editorials
Frank, Henderson, and Starling (Hamilton), 803
Medicine and physics (Lewis), 643
Quote - - - unquote (Mendlowitz), 487

Einthoven and various Burger-type triangles, graphic determination and comparison of RLF plane vector angles obtained from lead projection ratios using (Jordan and Beswick), 892
triangle, relationship between Burger triangular shapes and (I) (Zao), 251

Ejection force, cardiac, effect of hypoxia on rate at which, is generated: ballistocardiographic study (Moss), 412

Electrical activity of heart, influence of high altitudes on. I. Electrocardiographic and vectorcardiographic observations in newborn, infants, and children (Peñaloza, et al.), 111
field, measurements of unipolar potentials in, produced by arbitrary dipole in elliptical homogeneous lamina (Bayley), 737

Electrocardiografia, compendio di, 482 (B. Rev.)

Electrocardiogram in chagasic myocarditis (Marquez, et al.), 321 (Annot.)
in pulmonary stenosis with intact septa (Bentivoglio, et al.), 347
in "tear drop" heart (Howard), 790 (Annot.)
in tetralogy of Fallot: study of 142 cases (Pileggi, et al.), 667
normal variants in, leading to cardiac invalidism (Goldman), 71

Electrocardiographic changes, vectorcardiographic and, following surgical correction of atrial septal defect (Beregovich, et al.), 329
diagnosis of left ventricular hypertrophy (Scott), 155 (Annot.)

Electrocardiographic—Cont'd
estimation of pulmonary vascular obstruction in 80 patients with mitral stenosis (Semler and Pruitt), 541
findings; transposition functionally totally corrected (Malers, et al.), 820
observations, and vectorcardiographic, in newborn, infants, and children (I); influence of high altitudes on electrical activity of heart (Peñaloza, et al.), 111
observations in 300 transthoracic left heart catheterizations (Feruglio, et al.), 238

Electrocardiography, scalar, clinical, 639 (B. Rev.)

Electrolytic model study: Burger triangle as quantitative measure of inaccuracy of Einthoven triangle, influenced by "heart vector" eccentricity and length (Zao), 251

Electronic means, bridging of interrupted A-V conduction in experimental chronic complete heart block by (Kahn, et al.), 548

Elliptical homogeneous lamina, measurements of unipolar potentials in electrical field produced by arbitrary dipole in (Bayley), 737

Embolism, arterial, in limbs, 799 (B. Rev.)
pulmonary, atrial flutter with 1:1 A-V conduction associated with, in aged (Spivack, et al.), 53
tricuspid insufficiency in (Byrne and Cahill), 129

Endocardial thickenings, isolated (Davies), 603

Endocarditis, staphylococcal (Lisan, et al.), 184

Endocardium, mural, nature and behavior of (Davies), 601
some considerations regarding obscure diseases affecting (Davies), 600

Endomyocardial fibrosis in Uganda (Davies), 610

Enzymes, method employed in measurement of (Aquilina and Farnsworth), 166
serum, alteration of, in clinical myocardial infarction (Aquilina and Farnsworth), 166

Epicardial leads in man (Jouve, et al.), 856

Erratum, 324

Excitation, ventricular, supernormal phase of, in man. Its bearing on genesis of ventricular premature systoles and note on atrioventricular conduction (Soloff and Fewell), 869

F

Fallot, electrocardiogram in tetralogy of: study of 142 cases (Pileggi, et al.), 667

Fallot's tetralogy (Vogelpoel and Schrire), 654
cyanotic spells and loss of consciousness induced by cardiac catheterization in patients with (Braudo and Zion), 10
pulmonary stenosis with intact ventricular septum and: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

Fallot's tetralogy—Cont'd
use of phenylephrine in differentiation of, from pulmonary stenosis with intact ventricular septum (Vogelpoel, et al.), 489
Fever, rheumatic, acute, in adults (Carroll), 636 (Annot.)
Fibrillation, atrial, chronic, unrelated to organic heart disease: follow-up study of five cases (Howard), 343
effects of, upon circulation in patients with mitral stenosis (Selzer), 518
Fibrinolysis, therapeutic (Robson), 936
Fibroelastosis, endocardial, of infancy (Davies), 604
Flutter, atrial, 1:1, progressive muscular dystrophy with (Jackson and O'Donnell), 277
with Wenckebach phenomenon (Greenwood and Finkelstein), 594
with 1:1 A-V conduction associated with pulmonary embolism in aged (Spivack, et al.), 53
Frank, Henderson, and Starling (Hamilton), 803
Frontal plane, geometric study of relationship between limb leads and cardiac vector in (Zao), 249

G

Gas chromatography and lipid metabolism (Karmen), 937
Geometric study of relationship between limb leads and cardiac vector in frontal plane (Zao), 249
Graphic determination and comparison of RLF plane vector angles obtained from lead projection ratios using Einthoven and various Burger-type triangles (Jordan and Beswick), 892
Groote Schuur Hospital, Cape Town, racial incidence of heart disease at. Part III. Less common forms of heart disease (Schrire), 835

H

Heart, artificial, pendulum type of, within chest: preliminary report (Houston, et al.), 723
requirements for (Houston, et al.), 723
roller type of, within chest: preliminary report (Akutsu, et al.), 731
block, complete, chronic, experimental, bridging of interrupted A-V conduction in, by electronic means (Kahn, et al.), 548
disease, advanced, taxicab as aid in economic rehabilitation of patients with (Levine), 793 (Annot.)
carcinoid (Davies), 624
congenital, cyanotic, anomalous single coronary artery complicating ventriculotomy in child with (Friedman, et al.), 140
diagnosis of, 484 (B. Rev.)
Heart disease—Cont'd
coronary, international study of (Biörck), 3
studies on subjects with and without. Serum lipid, lipoprotein, and protein determinations and their relation to ballistocardiographic findings (preliminary survey) (Scarborough, et al.), 19
experimental brucellosis and (Konwaler, et al.), 102
in animals (Davies), 625
organic, chronic atrial fibrillation unrelated to: follow-up study of five cases (Howard), 343
postpartum (Davies), 625
racial incidence of, at Groote Schuur Hospital, Cape Town. Part III. Less common forms of heart disease (Schrire), 835
failure, obscure, with mural thrombosis (Davies), 620
influence of high altitudes on electrical activity of. I. Electrocardiographic and vectorcardiographic observations in newborn, infants, and children (Peñaloza, et al.), 111
left and right sides of, technique for simultaneous pressure determination in (Derrick, et al.), 442
catheterizations, transthoracic, 300, electrocardiographic observations in (Feruglio, et al.), 238
lipoma of (Brock and Finger), 591
mammalian, hibernating (Dawe and Landau), 78
rate, effect of reserpine and digitalis on, during noradrenaline infusion (Massaro, et al.), 401
right, communications due to congenital aortic sinus defects; sinus of Valsalva (Perloff), 318 (Annot.)
sounds at base of, in cases of patent ductus arteriosus (Hubbard and Neis), 807
influence of variable frequencies on spectrum analysis of (Brody), 96
"tear drop," electrocardiogram in (Howard), 790 (Annot.)
Hemodynamic research, evolution of methodology in (Brody), 322 (Annot.)
Henderson, Starling, and Frank (Hamilton), 803
Hibernating mammalian heart (Dawe and Landau), 78
Home, nursing, management, 157 (B. Rev.)
Hyaluronidase, intravenous, use of, following narrowing of left circumflex coronary artery in dogs (Lumb and Cook), 428
Hypertension, 639 (B. Rev.)
arterial, spatial patterns of ventricular repolarization in (Libretti and Zanchetti), 40
chlorothiazide in (Harris), 318 (Annot.)
essential (Harris), 792 (Annot.)
pulmonary, alteration in patients with pulmonic stenosis and; pressure pulse waves in right ventricle (Rashkind), 36
spontaneous rupture of pulmonary artery in (Brettell and Herrmann), 263

Hypertensive subjects, normotensive and, circulatory reactions of, and of children of normal and hypertensive parents (Remington, et al.), 58
Hypertrophy, cardiac, and dilatation, effects of, upon endocardium (Davies), 603
idiopathic, of long duration (Gueron), 446
left ventricular, electrocardiographic diagnosis of (Scott), 155 (Annot.)
Hypoglycemia, action of, on coronary insufficiency and mechanism of ECG alterations (Egeli and Berkmen), 527
Hypothermia, extracorporeal circulation, and extracorporeal cooling; physiology of cardiac surgery, 158 (B. Rev.)
Hypoxia, circulatory regulation and shifting in (Gömöri and Takács), 161
effect of, on rate at which cardiac ejection force is generated: ballistocardiographic study (Moss), 412

I

Idiopathic cardiac hypertrophy of long duration (Gueron), 446
Impedance, plethysmography, electrical. Electrical resistive measure of blood pulse volume, peripheral and central blood flow, 641 (B. Rev.)
Infants, newborn, and children, electrocardiographic and vectorcardiographic observations in (I); influence of high altitudes on electrical activity of heart (Peñaloza, et al.), 111
Infarction, myocardial, clinical, alteration of serum enzymes in (Aquilina and Farnsworth), 166
shock following (Heyer), 940 (Annot.)
syndrome, postmyocardial, 632 (Annot.)
Infundibular stenosis with intact ventricular septum (Vogelpoel and Schrire), 653
Injury, myocardial, report of, in patient receiving levarterenol; cardiac toxicity of iproniazid (Marsilid) (Mond and Mack), 134
Insufficiency, coronary, and mechanism of ECG alterations, action of hypoglycemia on (Egeli and Berkmen), 527
"mitral," transposition functionally totally corrected, associated with (Malers, et al.), 816
tricuspid, in pulmonary embolism (Byrne and Cahill), 129
International study of coronary heart disease (Biörck), 3
Interventricular septal myocardium, activation of, studied during cardiopulmonary bypass (Amer, et al.), 224
Intracardialer Druckkurven, Atlas, 799 (B. Rev.)
Invalidism, cardiac, normal variants in electrocardiogram leading to (Goldman), 71
Iproniazid (Marsilid), cardiac toxicity of: report of myocardial injury in patient receiving levarterenol (Mond and Mack), 134

J

J-M stroke, displacement, systolic, and gram-centimeters values of fifty-one normal males from ULF pendulum ballistocardiographic system (Hollis), 560
Jugular venous tracing (Hartman), 698

K

Keys equation (Karpman), 478 (Annot.)

L

Lamina, homogeneous, elliptical, measurements of unipolar potentials in electrical field produced by arbitrary dipole in (Bayley), 737
Lead, precordial, high anterior, studies. I. Techniques and normals (Arnold, et al.), 565
projection ratios, graphic determination and comparison of RLF plane vector angles obtained from using Einthoven and various Burger-type triangles (Jordan and Beswick), 892
V_{3R}, as mass-screening device, analysis of (Morton), 208
Leads, epicardial, in man (Jouve, et al.), 856
limb, and cardiac vector in frontal plane, geometric study of relationship between (Zao), 249
Letters to editor, 485, 795, 942
Levarterenol, report of myocardial injury in patient receiving; cardiac toxicity of iproniazid (Marsilid) (Mond and Mack), 134
Limb leads and cardiac vector in frontal plane, geometric study of relationship between (Zao), 249
Limbs, arterial embolism in, 799 (B. Rev.)
Lipid metabolism, gas chromatography and (Karmen), 937 (Annot.)
Lipoma of heart (Brock and Finger), 591
Lipoprotein, serum lipid, and protein determinations and their relation to ballistocardiographic findings (preliminary survey); studies on subjects with and without coronary heart disease (Scarborough, et al.), 19
Löffler's disease (Davies), 609
Loop, QRS, spatial frequency distribution of, as studied on 154 normal individuals (Groeben), 875

M

Magnesium and cardiovascular system (Martin), 932 (Annot.)
Malesci, Vittorio, volume premio, 157 (B. Rev.)
Malformations, cardiac, major, associated, total anomalous pulmonary venous connection without (Burroughs and Edwards), 918
truncoconal, congenital (Table I) (de la Cruz, et al.), 908
Mammalian heart, hibernating (Dawe and Landau), 78

Mass-screening device, analysis of V_{3R} lead as (Morton), 208
Meakins, Dr. Jonathan C. (Christie), 1
Medicine and physics (Lewis), 643
Metabolism, lipid, gas chromatography and (Karmen), 937 (Annot.)
Methodology, evolution of, in hemodynamic research (Brody), 323 (Annot.)
"Mitral" insufficiency, transposition functionally totally corrected, associated with (Malers, et al.), 816
stenosis, effects of atrial fibrillation upon circulation in patients with (Selzer), 518
electrocardiographic estimation of pulmonary vascular obstruction in 80 patients with (Semler and Pruitt), 541
valvulotomy, 481 (B. Rev.)
Mural endocardium, nature and behavior of (Davies), 601
some considerations regarding obscure diseases affecting (Davies), 600
thrombosis (Davies), 623
Murmur, systolic, innocent, in children: clinical study of its incidence and characteristics (Fogel), 844
Murmurs, systolic, classification of (Shabetai), 637 (Annot.)
Muscular dystrophy, progressive, with 1:1 atrial flutter (Jackson and O'Donnell), 277
Myocardial infarction, clinical, alteration of serum enzymes in (Aquilina and Farnsworth), 166
shock following (Heyer), 940 (B. Rev.)
injury, report of, in patient receiving levarterenol; cardiac toxicity of iproniazid (Marsilid) (Mond and Mack), 134
Myocarditis, chagasic, electrocardiogram in (Marquez, et al.), 321 (Annot.)
pernicious, chronic (Kline and Saphir), 681
Myocardium of dogs, effects of acetyl-strophanthidin on kinetics of potassium and Rb^{86} in (Cairns, et al.), 404
septal, interventricular, activation of, studied during cardiopulmonary bypass (Amer, et al.), 224

N

Necrosis, cardiac, experimental, renal influence in (Nádasdi), 762
Nerves, vasomotor, to human skin (Roddie), 634 (Annot.)
Newborn, infants, and children, electrocardiographic and vectorcardiographic observations in (I); influence of high altitudes on electrical activity of heart (Peñaloza, et al.), 111
Nodes, Osler's (Howard), 633 (Annot.)
Noradrenaline infusion, effect of reserpine and digitalis on heart rate during (Massaro, et al.), 401
Normotensive and hypertensive subjects, circulatory reactions of, and of children of normal and hypertensive parents (Remington, et al.), 58
Nursing home management, 157 (B. Rev.)

O

Operation, 158 (B. Rev.)
Organic heart disease, chronic atrial fibrillation unrelated to: follow-up study of five cases (Howard), 343
Osler's nodes (Howard), 633 (Annot.)

P

Paroxysmal tachycardia, reciprocating, reversed, and its relationship to Wolff-Parkinson-White syndrome (Schamroth), 506
Patent ductus arteriosus, sounds at base of heart in cases of (Hubbard and Neis), 807
Pendulum ballistocardiographic system, ULF, systolic J-M stroke displacement and gram-centimeters values of fifty-one normal males from (Hollis), 560
type of artificial heart within chest: preliminary report (Houston, et al.), 723
Pericarditis, acute, 797 (B. Rev.)
Peripheren Durchblutungsstörungen, Angiologie, Pathologie Klinik und Therapie der, 800 (B. Rev.)
Pernicious myocarditis, chronic (Kline and Saphir), 681
Phenylephrine, use of, in differentiation of Fallot's tetralogy from pulmonary stenosis with intact ventricular septum (Vogelpoel, et al.), 489
Pheochromocytoma in pregnancy (Burt), 472 (Annot.)
Phonocardiography, assessment of postoperative results by auscultation and; pulmonary stenosis with intact ventricular septum and Fallot's tetralogy (Vogelpoel and Schrire), 645
direct-writing, prospects for; with short critique of spectrophonocardiography (Brody), 90
Physics, medicine and (Lewis), 643
Plane, frontal, geometric study of relationship between limb leads and cardiac vector in (Zao), 249
Plethysmography, electrical impedance. Electrical resistive measure of blood pulse volume, peripheral and central blood flow, 641 (B. Rev.)
Poliomyelitis, life-threatening, circulatory disturbances in (Spencer, et al.), 384
Postcommissurotomy syndrome, comparison with; postpericardiotomy syndrome following penetrating stab wounds of chest (Segal and Tabatznik), 175
Postmyocardial infarction syndrome, 632 (Annot.)
Postpericardiotomy syndrome following penetrating stab wounds of chest: comparison with postcommissurotomy syndrome (Segal and Tabatznik), 175
Potassium and Rb^{86}, effects of acetyl-strophanthidin on kinetics of, in myocardium of dogs (Cairns, et al.), 404

Potentials, unipolar, in electrical field produced by arbitrary dipole in elliptical homogeneous lamina, measurements of (Bayley), 737

Precordial lead studies, anterior, high. I. Techniques and normals (Arnold, et al.), 565

Pregnancy, pheochromocytoma in (Burt), 472 (Annot.)

Premature systoles, ventricular, its bearing on genesis of, and note on atrioventricular conduction; supernormal phase of ventricular excitation in man (Soloff and Fewell), 869

Pressure, blood, high, 640 (B. Rev.)
determination, simultaneous, technique for, in left and right sides of heart (Derrick, et al.), 442
pulse waves in right ventricle: alteration in patients with pulmonic stenosis and pulmonary hypertension (Rashkind), 36
pulses, intra-arterial, and extra-arterial, simultaneously recorded, comparison of, in man (Dontas), 576
transmural, responses of resistance blood vessels to increases in (Greenfield), 476 (Annot.)

Protein determinations, serum lipid, and lipoprotein, and their relation to ballistocardiographic findings (preliminary survey); studies on subjects with and without coronary heart disease (Scarborough, et al.), 19

Pseudoangina (Engel), 325

Pulmonary artery, left, anomalous, with tracheal compression, unusual vascular ring formed by (Niwayama), 454
spontaneous rupture of, in pulmonary hypertension (Brettell and Herrmann), 263
stenotic, left ventricular, biventricular transposed aorta and. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902
embolism, atrial flutter with 1:1 A-V conduction associated with, in aged (Spivack, et al.), 53
tricuspid insufficiency in (Byrne and Cahill), 129
hypertension, alteration in patients with pulmonic stenosis and; pressure pulse waves in right ventricle (Rashkind), 36
stenosis, use of phenylephrine in differentiation of Fallot's tetralogy from, with intact ventricular septum (Vogelpoel, et al.), 489
with intact septa, electrocardiogram in (Bentivoglio, et al.), 347
ventricular septum (Vogelpoel and Schrire), 647
and Fallot's tetralogy: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

Pulmonary—Cont'd
vascular obstruction, electrocardiographic estimation of, in 80 patients with mitral stenosis (Semler and Pruitt), 541
venous connection, anomalous, total (Burroughs and Edwards), 913

Pulmonic stenosis and pulmonary hypertension, alteration in patients with; pressure pulse waves in right ventricle (Rashkind), 36

Pulse waves, pressure, in right ventricle: alteration in patients with pulmonic stenosis and pulmonary hypertension (Rashkind), 36

Pulses, pressure, intra-arterial and extra-arterial, simultaneously recorded, comparison of, in man (Dontas), 576

Q

QRS loop, spatial frequency distribution of, as studied on 154 normal individuals (Groeben), 875
vectors, initial and terminal, quantitative study of, in group of normal older men (Mori, et al.), 374

Q-T interval, value of (Howard), 789 (Annot.)

Quote - - - unquote (Mendlowitz), 487

R

Racial incidence of heart disease at Groote Schuur Hospital, Cape Town. Part III. Less common forms of heart disease (Schrire), 835

Rauwolfia, la: chimica, farmacologia, ed applicazioni cliniche, 797 (B. Rev.)

Rb^{86}, effects of acetyl-strophanthidin on kinetics of potassium and, in myocardium of dogs (Cairns, et al.), 404

Rehabilitation, economic, of patients with advanced heart disease, taxicab as aid in (Levine), 793 (Annot.)

Renal influence in experimental cardiac necrosis (Nádasdi), 762

Repolarization, ventricular, spatial patterns of, in arterial hypertension (Libretti and Zanchetti), 40

Reserpine and digitalis, effect of, on heart rate during noradrenaline infusion (Massaro, et al.), 401

Rheumatic fever, acute, in adults (Carroll), 636 (Annot.)

Ring, vascular, unusual, formed by anomalous left pulmonary artery, with tracheal compression (Niwayama), 454

RLF plane vector angles obtained from lead projection ratios, graphic determination and comparison of, using Einthoven and various Burger-type triangles (Jordan and Beswick), 892

Roentgenographic findings; transposition functionally totally corrected (Malers, et al.), 821

Roller type of artificial heart within chest: preliminary report (Akutsu, et al.), 731

Root syndrome, pseudoanginal, coexisting, and angina pectoris, diagnostic differentiation of (Mainzer), 191

Rupture, spontaneous, of pulmonary artery in pulmonary hypertension (Brettell and Herrmann), 263

S

Scalar electrocardiography, clinical, 639 (B. Rev.)

Septa, intact, electrocardiogram in pulmonary stenosis with (Bentivoglio, et al.), 347

Septal defect, atrial, vectorcardiographic and electrocardiographic changes following surgical correction of (Beregovich, et al.), 329

myocardium, interventricular, activation of, studied during cardiopulmonary bypass (Amer, et al.), 224

Septum, ventricular, intact, and Fallot's tetralogy, pulmonary stenosis with: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

Serum enzymes, alteration of, in clinical myocardial infarction (Aquilina and Farnsworth), 166

lipid, lipoprotein, and protein determinations and their relation to ballistocardiographic findings (preliminary survey); studies on subjects with and without coronary heart disease (Scarborough, et al.), 19

Shock following myocardial infarction (Heyer), 940 (Annot.)

Sinus, aortic, defects, congenital, right heart communications due to; sinus of Valsalva (Perloff), 318 (Annot.)

of Valsalva—right heart communications due to congenital aortic sinus defects (Perloff), 318 (Annot.)

Skin, human, vasomotor nerves to (Roddie), 634 (Annot.)

Sounds at base of heart in cases of patent ductus arteriosus (Hubbard and Neis), 807

Spatial frequency distribution of QRS loop as studied on 154 normal individuals (Groeben), 875

patterns of ventricular repolarization in arterial hypertension (Libretti and Zanchetti), 40

Spectrophonocardiography, with short critique of; prospects for direct-writing phonocardiography (Brody), 90

Spectrum analysis of heart sounds, influence of variable frequencies on (Brody), 96

Stab wounds, penetrating, of chest, postpericardiotomy syndrome following: comparison with postcommissurotomy syndrome (Segal and Tabatznik), 175

Staphylococcal endocarditis (Lisan, et al.), 184

Starling, Frank, and Henderson (Hamilton), 803

Stenosis, infundibular, with intact ventricular septum (Vogelpoel and Schrire), 653

mitral, effects of atrial fibrillation upon circulation in patients with (Selzer), 518

electrocardiographic estimation of pulmonary vascular obstruction in 80 patients with (Semler and Pruitt), 541

pulmonary, use of, phenylephrine in differentiation of Fallot's tetralogy from, with intact ventricular septum (Vogelpoel, et al.), 489

with intact septa, electrocardiogram in (Bentivoglio, et al.), 347

ventricular septum and Fallot's tetralogy: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

pulmonic, and pulmonary hypertension, alteration in patients with; pressure pulse waves in right ventricle (Rashkind), 36

Stenotic pulmonary artery, left ventricular, biventricular transposed aorta and. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902

Surgeon and child, 482 (B. Rev.)

Surgery, cardiac, physiology: hypothermia, extracorporeal circulation, and extracorporeal cooling, 158 (B. Rev.)

Surgical correction of atrial septal defect, vectorcardiographic and electrocardiographic changes following (Beregovich, et al.), 329

treatment; transposition functionally totally corrected (Malers, et al.), 822

Syndrome, postpericardiotomy, following penetrating stab wounds of chest: comparison with postcommissurotomy syndrome (Segal and Tabatznik), 175

root, pseudoanginal, coexisting, and angina pectoris, diagnostic differentiation of (Mainzer), 191

Systoles, premature, ventricular, its bearing on genesis of, and note on atrioventricular conduction; supernormal phase of ventricular excitation in man (Soloff and Fewell), 869

Systolic J-M stroke displacement and gram-centimeters values of fifty-one normal males from ULF pendulum ballistocardiographic system (Hollis), 560

murmur, innocent, in children: clinical study of its incidence and characteristics (Fogel), 844

murmurs, classification of (Shabetai), 637

innocent, three (Fogel), 845

T

Tachycardia, paroxysmal, reciprocating, reversed, and its relationship to Wolff-Parkinson-White syndrome (Schamroth), 506

Tachycardias, simultaneous (Castellanos, et al.), 358

Taxicab as aid in economic rehabilitation of patients with advanced heart disease (Levine), 793 (Annot.)

"Tear drop" heart, electrocardiogram in (Howard), 790 (Annot.)

Tetralogy, Fallot's, pulmonary stenosis with intact ventricular septum and: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

of Fallot, electrocardiogram in: study of 142 cases (Pileggi, et al.), 667

Toxicity, cardiac, of iproniazid (Marsilid): report of myocardial injury in patient receiving levarterenol (Mond and Mack), 134

Tracheal compression, unusual vascular ring formed by anomalous left pulmonary artery, with (Niwayama), 454

Transmural pressure, responses of resistance blood vessels to increases in (Greenfield), 476 (Annot.)

Transposition, corrected, anatomic features of (Malers, et al.), 816

functionally totally corrected, associated with "mitral" insufficiency (Malers, et al.), 816

Transthoracic left heart catheterizations, 300, electrocardiographic observations in (Feruglio, et al.), 238

Tricuspid insufficiency in pulmonary embolism (Byrne and Cahill), 129

U

Unipolar potentials in electrical field produced by arbitrary dipole in elliptical homogeneous lamina, measurements of (Bayley), 737

V

V_{3R} lead, analysis of, as mass-screening device (Morton), 208

Valvulotomy, mitral, 481 (B. Rev.)

Vascular balances (Hyman), 939 (Annot.)

pulmonary, obstruction, electrocardiographic estimation of, in 80 patients with mitral stenosis (Semler and Pruitt), 541

ring, unusual, formed by anomalous left pulmonary artery, with tracheal compression (Niwayama), 454

Vasodilator, coronary, new, 3-dimethylamino-1, 1, 2-tris (4-methoxyphenyl)-1-propene hydrochloride (WIN 5494), clinical evaluation of (Sandler), 718

Vasomotor nerves to human skin (Roddie), 634 (Annot.)

Vector, cardiac, in frontal plane, geometric study of relationship between limb leads and (Zao), 249

ventricular gradient, and related vectors (Angle), 749

Vectorcardiographic changes, and electrocardiographic, following surgical correction of atrial septal defect (Beregovich, et al.), 329

observations, electrocardiographic and, in newborn, infants, and children (I); influence of high altitudes on electrical activity of heart (Peñaloza, et al.), 111

Vectors, QRS, initial and terminal, quantitative study of, in group of normal older men (Mori, et al.), 374

Venous connection, pulmonary, anomalous, total (Burroughs and Edwards), 913

tracing, jugular (Hartman), 698

Ventricle, right pressure pulse waves in: alteration in patients with pulmonic stenosis and pulmonary hypertension (Rashkind), 36

Ventricular excitation, supernormal phase of, in man. Its bearing on genesis of ventricular premature systoles, and note on atrioventricular conduction (Soloff and Fewell), 869

filling by diastolic suction (Fowler), 934 (Annot.)

gradient vector and related vectors (Angle), 749

hypertrophy, left, electrocardiographic diagnosis of (Scott), 155 (Annot.)

repolarization, spatial patterns of, in arterial hypertension (Libretti and Zanchetti), 40

septum, intact, and Fallot's tetralogy, pulmonary stenosis with: assessment of postoperative results by auscultation and phonocardiography (Vogelpoel and Schrire), 645

infundibular stenosis with (Vogelpoel and Schrire), 653

pulmonary stenosis with (Vogelpoel and Schrire), 647

use of phenylephrine in differentiation of Fallot's tetralogy from pulmonary stenosis with (Vogelpoel, et al.), 489

stenotic pulmonary artery, left, biventricular transposed aorta and. Embryologic and pathologic account of new syndrome whose existence was previously theoretically predicted (de la Cruz, et al.), 902

Ventriculotomy, anomalous single coronary artery complicating, in child with cyanotic congenital heart disease (Friedman, et al.), 140

Vessels, blood, resistance, responses of, to increases in transmural pressure (Greenfield), 476 (Annot.)

Vittorio Malesci, volume premio, 157 (B. Rev.)

W

Wenckebach phenomenon, 1:1 atrial flutter with (Greenwood and Finkelstein), 594

Wolff-Parkinson-White syndrome, intermittent (Angle), 761
reversed reciprocating paroxysmal tachycardia and its relationship to (Schamroth), 506

Wounds, stab, penetrating, of chest, postpericardiotomy syndrome following: comparison with postcommissurotomy syndrome (Segal and Tabatznik), 175

WPW syndrome, effect of digitalis on (Gitsios), 286
restoration of normal conduction following administration of digitalis in case of (Gitsios), 283